



Paketomati - novi vid dostave paketa

Matija Pavlinek - Voditelj odjela za unapređenje logističkih usluga
Tomislav Vrankić - Voditelj odjela za monitoring i nadzor paketomata



Prednosti i iskustva paketomata

- Rade **0-24/7** dana u tjednu
- **Povećavaju kvalitetu života** u urbanim sredinama:
 - *Smanjuju CO2*
 - *Smanjuju gužvu na gradskim prometnicama*
 - *Povećavaju dostupnost i mogućnosti preuzimanja paketa*
- **Beskontaktna dostava**



Kako funkcionira paketomat



Paket je adresiran na paketomat, adresu ili PU



Korisnik unosi kod od paketa i potencijalno vrši kartično plaćanje



Korisnik dobiva informaciju da ga paket čeka na paketomatu



Otvora se pretinac



Korisnik preuzima svoj paket

Korisnik može upravljati dostavom paketa




Tehničke karakteristike



- Dubina 670 mm
- Visina 2.032,5 mm
- Širina 3.944 mm
- Težina 1.014 kg
- Napajanje strujom
- Povezivanje SIM karticom
- 96 pretinaca različite dimenzije



**Za priključivanje paketomata potrebna je snaga od 1.200W, kabel NYY-J 3x2,5mm², spojen na osigurač B10A*



Lokacije faza II

Italija



Hvala na pažnji!